

BUS AIR CONDITIONING



RTS-290 ROOFTOP SYSTEM

ADVANCED FEATURES

- Light Weight Rugged Fiberglass Base
- Attractive UV Resistant TPO Cover
- Integral Filter Drier and Receiver with Sight Glass
- High Pressure Low Refrigerant Protection
- O-Ring Connections for Maximum Leak Protection
- Unequalled Heat Rejection Yields
 - Lower Discharge Pressure
 - Longer Compressor Life
- Two Sealed High Capacity 14" Fans
- Designed for Compressors up to 313 Cm³ displacement
- Enhanced Copper Tube Aluminum Fin Coils
- Service access from inside the vehicle
- Ducted or Free Blow Air Distribution



OPTIONS

- 12 Volt or 24 Volt Motors
- Brushless Motors
- Heating Coils

SPECIFICATIONS

RATING: Up to 90,000 Btu/hr. IMACA, (50,000 ARI)

AIRFLOW: 1,600 CFM

AMPERAGE DRAW: 60 Amps @ 13.5 Volts
30 Amps @ 27 Volts

CONDENSER FANS: Two 14 Inch Diameter
Sealed Motors

WEIGHT: 140 lbs.

LENGTH: 93.3"

WIDTH: 44"

HEIGHT: 6"

Specifications subject to change without notice.

**3 YEAR
LIMITED WARRANTY**

AMERICAN COOLING TECHNOLOGY, Inc.

www.actusa.us.com

715 Willow Springs Lane, York, PA 17406

Tel: 717.767.2775 ~ Fax: 717.767.3658

Toll Free: 877.228.4247



RELY ON OUR EXPERIENCE TO PROPERLY APPLY YOUR BUS AIR CONDITIONING SYSTEM